

EST. 2023

SHIV SHAKTI INDUSTRIES

Strong Bond · Lasting Trust

"Building Trust, One Bond at a Time"

Panipat, Haryana · Pan-India Supply

2+

Years Strong

5,000+

Happy Clients

ISI

Certified

4

Pro Brands

APPLICATIONS

Floor Tiling

Wall Cladding

Swimming Pools

Bathrooms

Heated Floors

Overlaying

Industrial



SHIV SHAKTI INDUSTRIES

INNOVATION · INTEGRITY · LEADERSHIP

ISI 9001:2015

BIS Compliant

Low VOC

EN 12004

Pan-India

INDIA'S TRUSTED TILE ADHESIVE MANUFACTURER · ISI CERTIFIED · SINCE 2023

COMPANY OVERVIEW

Who We Are · Vision & Mission · Core Values · Brands · Certifications

Product Catalog 2025 · Shiv Shakti Industries, Panipat, Haryana



ABOUT SHIV SHAKTI INDUSTRIES

Shiv Shakti Industries is India's trusted manufacturer of high-performance tile adhesives, epoxy grouts and waterproofing solutions, headquartered at HSIIDC Industrial Area, Panipat, Haryana. Founded in 2023 and ISI-certified, we proudly serve 5,000+ clients, contractors and architects across India through four professional brands:

SSI · NEXITONE · CORVELL · ORION

KEY PERFORMANCE INDICATORS

2+ Yrs

In Business

5,000+

Happy Clients

4

Pro Brands

ISI

BIS Certified

100%

Pan-India

OUR VISION

To be India's most trusted construction chemical brand — driving quality, innovation and sustainable growth across every corner of the nation.

Market Leader · National Reach · Quality Focus

OUR MISSION

Manufacturing superior-performance tile adhesives, grouts and waterproofing solutions that empower builders and exceed international quality standards.

R&D Driven · Reliable Supply · Builder Empowerment

OUR VALUES

Quality First · Integrity Always · Innovation Driven · Customer Obsessed · Sustainability Committed · Nationwide Reach

Sustainable · Trusted Partner · Award-Worthy

CERTIFICATIONS & COMPLIANCE STANDARDS

✓ ISI 9001:2015

✓ BIS Compliant

✓ Low VOC Formula

✓ EN 12004

✓ In-House Lab-Soon

✓ Pan-India Supply

OUR 4 PROFESSIONAL BRANDS

SSI

The Bond Professionals Trust

NEXITONE

Next-Level Tile Bonding

CORVELL

Advanced Bonding Technology

ORION

Industrial Strength Solutions

Manufacturing

HSIIDC, Panipat, Haryana

Testing Lab-Soon

In-House R&D Facility

Distribution

Pan-India Network

Standard

ISI / MSME / EN 12004

WHY CHOOSE SHIV SHAKTI INDUSTRIES?

ISI Certified

Quality assured by Bureau of Indian Standards.

MSME & EN 12004

Indian and European international standards.

Soon-In-House Lab

Every batch tested for bond strength & quality.

Low VOC Formula

Eco-conscious — healthier indoor air quality.

Pan-India Supply

Covering all 28 states with reliable delivery.

5,000+ Clients

Trusted by builders and architects nationwide.

PRODUCT APPLICATION AREAS

Residential Flooring

Floor & wall tile fixing

Heated Floors

Thermally stable adhesive

Commercial Spaces

Shopping malls & offices

Industrial

Chemical-resistant epoxy

Swimming Pools

Waterproof epoxy systems

Hospitals

Hygienic sterile grouts

Bathrooms

Water-resistant adhesives

Overlaying

Re-tile without removal

OUR STORY

Shiv Shakti Industries was born in 2023 from a singular vision: to manufacture world-class tile adhesives and construction chemicals right here in India — at HSIIDC Industrial Area, Samalkha, Panipat, Haryana. Founded by a team of experienced construction professionals, we recognized a growing need in India for affordable yet premium-quality tile bonding solutions that could rival international brands. In just two years we grew from a single production line to a multi-brand operation serving 5,000+ builders, contractors, architects and developers across all major Indian cities and states. Today our four brands — SSI, NEXITONE, CORVELL and ORION — represent a complete ecosystem of tile adhesives, grouts and waterproofing solutions for every project type and budget.

GROWTH MILESTONES

Company Founded Established at HSIIDC, Panipat. Production begins with SSI brand.	2023	ISI Certification Achieved ISI 9001:2015 — quality standards confirmed from day one.	2024
First 100 Clients Scaled to 100+ builders across North India within 9 months.	2024	NEXITONE Launch Launched NEXITONE — next-generation adhesives for premium projects.	2024
CORVELL & ORION Expanded with CORVELL (True Bond) and ORION (Industrial Epoxy).	2024	Pan-India Network Supply chain extended to all 28 Indian states and territories.	2024
5,000+ Clients Milestone: 5,000+ clients across residential & commercial segments.	2025	Export Quality Products achieve export-grade ratings. International expansion underway.	2025

MANUFACTURING EXCELLENCE & QUALITY ASSURANCE

- State-of-the-Art Plant**
Modern facility at HSIIDC, Panipat with high-capacity production lines.
- Raw Material Control**
Premium materials from certified suppliers with full batch traceability.
- In-House Testing Lab**
Every batch tested for bond strength, open time and chemical resistance.
- Zero Compromise Policy**
Strict QC — every 20 kg bag meets ISI and MSME specifications.

QUALITY ASSURANCE PROCESS

- Raw Material Inspection**
Incoming materials tested for purity and chemical composition.
- Batch Production**
Precision dosing with automated plant and real-time monitoring.
- In-House Lab Testing**
Bond strength, open time and water resistance per batch.
- BIS/ISI Verification**
Products verified against BIS and ISI before release.
- Packaging & Dispatch**
Sealed 20 kg bags with batch tracking via certified logistics.

Location: Panipat, Haryana	Facility: HSIIDC Industrial Area	Founded: 2023
Certification: ISI 9001:2015	Pack Sizes: 1 / 5 / 20 kg	Supply: Pan-India

Why Choose Shiv Shakti Industries

Our Advantages · Application Areas · Technical Support · Nationwide Reach

OUR KEY ADVANTAGES

ISI 9001:2015 Certified



Bureau of Indian Standards certification ensuring quality, consistency and safety for every application.

BIS & EN 12004 Compliant



Meets both Indian MSME and European EN 12004 international standards — export-confidence built in.

In-House Testing Lab



Dedicated quality laboratory testing every batch for bond strength, open time and chemical resistance.

Low VOC Formulation



Eco-conscious formula for healthier indoor air quality and sustainable construction practices.

Pan-India Distribution



Reliable supply chain covering all 28 states and Union Territories — timely delivery anywhere.

5,000+ Happy Clients



Trusted by builders, contractors, architects and developers across residential and commercial sectors.

Expert Technical Support



Dedicated technical team providing on-site support, training and troubleshooting for all products.

Competitive Pricing



Premium quality at Indian prices — genuine value without compromising performance or reliability.

Custom Solutions



Capability to develop specifications for large projects, government contracts and export requirements.

PRODUCT APPLICATION AREAS

Residential Flooring

Large format vitrified, ceramic and mosaic tile fixing.

Commercial Spaces

Shopping malls, offices, hotels and public buildings.

Swimming Pools

Waterproof epoxy grout and adhesive systems.

Bathrooms & Wet Rooms

Water-resistant adhesives and anti-mould grouts.

Heated Floor Systems

Thermally stable flexible adhesives for underfloor heating.

Industrial Facilities

Chemical-resistant epoxy for factories and food plants.

Hospitals & Sterile

Hygienic stain-resistant grouting for medical facilities.

Facade & Overlaying

Flexibilised adhesives for re-tiling and external cladding.

BECOME A DISTRIBUTOR / ORDER TODAY

Min. Order

200 TO 500 Bag (20 kg)

Delivery

Pan-India Dispatch

Phone

+91 87088 20660

WhatsApp

+91 9671 100593

Website

www.shaktibuildtech.in
industries.com

CERTIFIED:

ISI 9001:2015

MSME Compliant

Low VOC

EN 12004

Soon-In-House Lab

Pan-India

OUR CLIENTS & REACH

5,000+

Happy Clients

Builders, contractors & architects

28

States Covered

Pan-India supply chain network

100%

ISI Certified

Every product meets BIS standards

4

Pro Brands

SSI · NEXITONE · CORVELL · ORION

SSI

Founded 2023 · 5 Product Lines · 20 kg Standard Pack · Export Quality · Residential, Commercial & Wet Areas



SSI EVA-C1

Ultra Premium

SSI-01 Floor & Wall

High-performance polymer-based floor & wall adhesive for large vitrified tiles, luxury marble and export-grade projects.

- Ultra High Bond
- Polymer Based
- Export Quality
- Large Format

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
SSI-01	4–5 kg/m ²	20 kg



SSI SILVA BIO

Commercial Grade


SSI-02 Commercial

Reliable floor & wall adhesive for commercial spaces with heavy foot traffic. Fast setting, highly flexibilised.

- Heavy Duty
- Fast Setting
- Highly Flexibilised
- Commercial

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
SSI-02	4–5 kg/m ²	20 kg



SSI ULTRA Premium

Premium Wet Area

SSI-03 Wet Areas

Premium polymer adhesive for wet environments — pools, bathrooms and wet rooms. Rapid setting with high water resistance.

- Water Resistant
- Rapid Setting
- Indoor & Outdoor
- Wet Areas

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
SSI-03	3–4 kg/m ²	20 kg



SSI Elastica Gel S1

Heat Resistant

SSI-04 Heated Floors

Engineered for underfloor and heated flooring systems. Excellent thermal stability, accommodates tile expansion.

- Heat Stable
- S1 Flex
- Long Lasting
- Thermal Floors

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
SSI-04	3–4 kg/m ²	20 kg

SSI RANGE — TECHNICAL SPECIFICATIONS

Product	Code	Type	Standard	Set Time	Open Time	Temp Range	Substrate
SSI EVA-C1	SSI-01	C1 Polymer	BIS/ISI	20-30 min	20 min	5-35C	All Tile Types
SSI SILVA BIO	SSI-02	C1 Fast Set	BIS/ISI	15-20 min	15 min	5-35C	Ceramic/Vitrified
SSI ULTRA Prem.	SSI-03	C2 W/R	EN 12004	20-25 min	20 min	5-40C	Pools/Wet Areas
SSI Elastica S1	SSI-04	S1 Flex	EN 12004	25-30 min	25 min	5-45C	Heated Floors

NEXITONE

4-Tier Series · Rapid & Quick Setting · All Surface Types · Indoor & Outdoor · Export Grade



Nexitone Gold

Gold Series

NXT-01 All Tiles

Rapid setting adhesive for ceramic, vitrified & mosaic tiles. Suitable for overlaying. Indoor and outdoor use.

Rapid Setting

Quick Hardening

Highly Flexibilised

Overlay OK

✓ BIS / ISI Compliant

CODE
NXT-01

COVERAGE
4–5 kg/m²

PACK
20 kg



Nexitone Platinum

Platinum Series

NXT-02 Vitrified

Platinum-grade adhesive for vitrified and mosaic tiles. Internal & external. Quick jointing for faster completion.

Excellent Bonding

Quick Jointing

Easy Workability

Int & Ext

✓ BIS / ISI Compliant

CODE
NXT-02

COVERAGE
4–5 kg/m²

PACK
20 kg



Nexitone Silver

Silver Series

NXT-03 All Surfaces

High-quality rapid setting silver-series adhesive. Highly flexibilised. Suitable for overlaying existing tiles.

Rapid Setting

For Overlaying

Indoor & Outdoor


High Flex

✓ BIS / ISI Compliant

CODE
NXT-03

COVERAGE
4–5 kg/m²

PACK
20 kg



Nexitone Diamond

Diamond Series

NXT-04 All Tiles

Top-tier diamond-grade adhesive. Premium quick-hardening for all tile types. Available in 25 kg for large projects.

Premium Grade

Quick Hardening

Highly Flexibilised

25 kg Pack

✓ BIS / ISI Compliant

CODE
NXT-04

COVERAGE
3–4 kg/m²

PACK
20/25 kg

NEXITONE SERIES — COMPARISON & SELECTION GUIDE

Series	Code	Setting	Coverage	Pack	Best For
Gold	NXT-01	Rapid	4-5 kg/m ²	20 kg	General Ceramic, Vitrified, Mosaic, Overlaying
Platinum	NXT-02	Quick	4-5 kg/m ²	20 kg	Vitrified & Mosaic — Internal & External
Silver	NXT-03	Rapid	4-5 kg/m ²	20 kg	Overlaying Existing Tiles — All Surface Types
Diamond	NXT-04	Quick	3-4 kg/m ²	20/25kg	Large Format Premium — Heavy Vitrified Tiles

CORVELL | True Bond Technology · Floor & Wall Interior · Thermal Stability · 4 Product Lines



Corvell Silver

Silver

CVL-01 Int Floor/Wall

True Bond Technology for interior floor and wall tiles. Proven reliable adhesion across ceramic and vitrified tiles.

True Bond | Floor & Wall | Bond Forever | Interior Grade

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
CVL-01	4–5 kg/m ²	20 kg



Corvell Platinum

Platinum

CVL-02 Int Floor/Wall

Platinum grade interior adhesive with superior bonding strength. Easy professional setting, excellent durability.

Strong Hold | Easy Setting | Durable | Superior Bond

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
CVL-02	4 kg/m ²	20 kg



Corvell Diamond

Diamond

CVL-03 Interior Premium

Highest performance in the Corvell range. Fast setting with thermal stability for demanding interior applications.

Diamond Grade | Fast Setting | Thermal Stable | Max Performance

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
CVL-03	3–4 kg/m ²	20 kg



Corvell Tile Grout

Ceramica Grout

CVL-04 Grouting

Pore-safe Ceramica grout with exceptional stain and chemical resistance. Easy clean. Joints 2–10 mm.

Stain Resistant | Chemical Resistant | Pore Safe | 2–10mm Joints

✓ BIS / ISI Compliant

CODE	COVERAGE	PACK
CVL-04	Varies	5 kg

CORVELL RANGE — COVERAGE RATES & APPLICATION GUIDE

Corvell Silver (CVL-01)		4-5 kg/m ²	
Corvell Platinum (CVL-02)		4 kg/m ²	
Corvell Diamond (CVL-03)		3-4 kg/m ²	
Corvell Grout (CVL-04)		Varies	

- 1 Prepare**
Clean dry surface.
- 2 Mix**
Powder+water 4.2:1.
- 3 Spread**
Notched trowel 45°.
- 4 Set Tile**
Firm press + twist.
- 5 Grout**
After 24h cure.

ORION | Industrial Grade · Two-Part Epoxy · Pool & Hydrotherapy Rated · Chemical Resistant · Eco Friendly



Orion Epoxy Resin & Hardener

Epoxy System

ORN-01 Industrial

Two-part epoxy: Part A Resin + Part B Hardener. High bond strength with polymer additives for chemical environments.

- High Bond Strength
- Polymer Additives
- Chemical Resistant
- 2-Part

✓ BIS / ISI Compliant

CODE ORN-01	COVERAGE Varies	PACK 1 kg kit
----------------	--------------------	------------------



Orion Epoxy Grout

Advance Protection

ORN-02 Pool & Shower

Advanced epoxy grout for pools, showers, wall & floor tiles and hydrotherapy pools. Eco-friendly, No.1 grade.

- Advance Protection
- Eco Friendly
- No.1 Grade
- Pool Rated

✓ BIS / ISI Compliant

CODE ORN-02	COVERAGE Varies	PACK 1 kg / 5 kg
----------------	--------------------	---------------------



Tile Grout

Premium Grout

GRT-03 Int & Ext

Premium interior & exterior grout for high-traffic and hygienic sterile environments such as hospitals.

- Stain Resistant
- Hygienic Sterile
- High Traffic
- Easy Clean

✓ BIS / ISI Compliant

CODE GRT-03	COVERAGE Varies	PACK 1 kg / 5 kg
----------------	--------------------	---------------------

ORION RANGE — PRODUCT COMPARISON & USE CASES

Product	Code	System	Environment	Pack	Ideal Use Case
Epoxy Resin & Hardener	ORN-01	2-Part Epoxy	Industrial/Chemical	1 kg kit	Factories, Labs, Chemical Floors
Epoxy Grout	ORN-02	Epoxy Grout	Wet/Pool/Hydro	1/5 kg	Pools, Showers, Hydrotherapy
Tile Grout	ORN-03	Prem. Grout	Int & Ext / Sterile	1/5 kg	Hospitals, Food Plants, High Traffic

All ORION products: Eco-Friendly · Low VOC · No.1 Grade Epoxy · Chemical & Stain Resistant

Complete Product Index

All 16 Products · 4 Brands · SSI · NEXITONE · CORVELL · ORION · Full Specifications

ALL 16 PRODUCTS — FULL REFERENCE TABLE

Code	Product Name	Brand	Type	Application	Coverage	Pack	Standard	Grade
SSI-01	SSI EVA-C1	SSI	C1 Polymer	Floor & Wall	4-5 kg/m2	20 kg	BIS/ISI	Ultra Premium
SSI-02	SSI SILVA BIO	SSI	C1 Fast Set	Commercial F&W	4-5 kg/m2	20 kg	BIS/ISI	Commercial
SSI-03	SSI ULTRA Premium	SSI	C2 W/R	Wet Areas / Pools	3-4 kg/m2	20 kg	EN 12004	Premium
SSI-04	SSI Elastica Gel S1	SSI	S1 Flex	Heated Floors	3-4 kg/m2	20 kg	EN 12004	Heat Resist.
SSI-05	SSI Tile Grout	SSI	CG2 Grout	Grouting	Varies	1 kg	BIS	Prem. Grout
NXT-01	Nexitone Gold	NEXITONE	C1 Rapid	All Tiles	4-5 kg/m2	20 kg	BIS/ISI	Gold Series
NXT-02	Nexitone Platinum	NEXITONE	C1 Quick	Vitrified/Mosaic	4-5 kg/m2	20 kg	BIS/ISI	Platinum
NXT-03	Nexitone Silver	NEXITONE	C1 Rapid	All/Overlaying	4-5 kg/m2	20 kg	BIS/ISI	Silver
NXT-04	Nexitone Diamond	NEXITONE	C1 Premium	All Tile Types	3-4 kg/m2	20/25 kg	BIS/ISI	Diamond
CVL-01	Corvell Silver	CORVELL	True Bond	Int Floor & Wall	4-5 kg/m2	20 kg	BIS/ISI	Silver
CVL-02	Corvell Platinum	CORVELL	Platinum	Int Floor & Wall	4 kg/m2	20 kg	BIS/ISI	Platinum
CVL-03	Corvell Diamond	CORVELL	Diamond	Interior Premium	3-4 kg/m2	20 kg	BIS/ISI	Diamond
CVL-04	Corvell Tile Grout	CORVELL	CG2 Ceramic	Grouting	Varies	5 kg	BIS/ISI	Ceramica
ORN-01	Orion Epoxy Resin & Hdnr	ORION	2-Part Epoxy	Industrial	Varies	1 kg kit	BIS/ISI	Epoxy Sys.
ORN-02	Orion Epoxy Grout	ORION	Epoxy Grout	Pool & Shower	Varies	1/5 kg	BIS/ISI	Adv. Prot.
ORN-03	Orion Tile Grout	ORION	Prem. Grout	Int & Ext	Varies	1/5 kg	BIS/ISI	Prem. Grout

COVERAGE & PACK SIZE — QUICK REFERENCE

Product	Code	Coverage	Pack	Product	Code	Coverage	Pack
SSI EVA-C1	SSI-01	4-5 kg/m2	20 kg	Nexitone Gold	NXT-01	4-5 kg/m2	20 kg
SSI SILVA BIO	SSI-02	4-5 kg/m2	20 kg	Nexitone Platinum	NXT-02	4-5 kg/m2	20 kg
SSI ULTRA Prem.	SSI-03	3-4 kg/m2	20 kg	Nexitone Silver	NXT-03	4-5 kg/m2	20 kg
SSI Elastica S1	SSI-04	3-4 kg/m2	20 kg	Nexitone Diamond	NXT-04	3-4 kg/m2	20/25 kg
SSI Tile Grout	SSI-05	Varies	1 kg	Corvell Silver	CVL-01	4-5 kg/m2	20 kg
Corvell Diamond	CVL-03	3-4 kg/m2	20 kg	Corvell Platinum	CVL-02	4 kg/m2	20 kg
Corvell Tile Grout	CVL-04	Varies	5 kg	Orion Epoxy Resin	ORN-01	Varies	1 kg kit
Orion Epoxy Grout	ORN-02	Varies	1/5 kg	Orion Tile Grout	ORN-03	Varies	1/5 kg

PORTFOLIO SUMMARY — 16 PRODUCTS — 4 BRANDS

SSI Brand
5 Products

NEXITONE
4 Products

CORVELL
4 Products

ORION
3 Products

ORDER NOW / BECOME A DISTRIBUTOR

+91 87088 20660 | +91 96711 00593 | info@shivshaktiindustries.com
HSIIDC Industrial Area, Samalkha, Panipat, Haryana - 132101 | Mon-Sat 9AM-6PM

COMPLETE APPLICATION PROCESS — STEP BY STEP

STEP 1

Surface Preparation

Ensure surface is clean, dry, dust-free and structurally sound. Remove loose particles, paint, oil or grease. Fill cracks and level uneven areas. Allow new concrete to cure at least 28 days before tiling.

STEP 2

Mixing the Adhesive

Add powder to clean water at 4.2:1 ratio by weight. Mix with a slow-speed drill until smooth and lump-free. Allow to rest (slake) for 5 minutes then re-mix briefly before use.

STEP 3

Applying the Adhesive

Spread adhesive with a notched trowel at 45°. Use the flat side first to key the substrate, then the notched side to create ridges. Work in 1m² sections to prevent skin-over.

STEP 4

Setting the Tile

Press each tile firmly with a slight twisting action (min. 80% coverage, 95% for wet areas). Check alignment and levelness. Use spacers for consistent grout joints throughout.

STEP 5

Grouting

After minimum 24-hour cure, apply grout using a rubber float at 45° to joints. Remove excess within 15-20 minutes using a damp sponge. Avoid foot traffic for 24 hours after grouting.

Product	Powder:Water	Water / 20 kg Bag	Coverage (Thin Bed)	Working Time	Full Cure
SSI EVA-C1	4.2:1	4.8 L	4-5 m ²	30 min	24 hrs
SSI SILVA BIO	4.2:1	4.8 L	4-5 m ²	20 min	24 hrs
SSI ULTRA Premium	4.0:1	5.0 L	3-4 m ²	30 min	24 hrs
SSI Elastica Gel S1	4.0:1	5.0 L	3-4 m ²	35 min	24 hrs
Nextitone Series	4.2:1	4.8 L	4-5 m ²	25-30 min	24 hrs
Corvell Series	4.2:1	4.8 L	3-5 m ²	25-35 min	24 hrs
Orion Epoxy	1:1 (A:B)	N/A (2-part)	Varies	45 min	72 hrs

STORAGE & HANDLING NOTES

Store below 30°C in a cool dry place · Keep away from moisture and direct sunlight · Shelf life: 12 months
Do not use if product has set in bag · Keep out of reach of children · All products BIS/ISI certified

COMMON TROUBLESHOOTING GUIDE		
Problem	Possible Cause	Solution
Tile slippage	Substrate too smooth or dusty.	Prepare surface with bonding primer; use fresh mix.
Poor adhesion	Surface contaminated or adhesive too dry.	Clean surface thoroughly; work in smaller sections.
Grout cracking	Joints too narrow; adhesive not fully cured.	Allow 24-hr cure; maintain minimum 2mm joints.
Colour variation	Water ratio inconsistent between batches.	Measure water precisely; use same production batch.
Efflorescence	Salt migration through porous substrate.	Use breathable primer; allow substrate to fully dry.
Hollow tiles	Insufficient adhesive coverage below tile.	Ensure 80%+ coverage; back-butter large format tiles.

SHIV SHAKTI INDUSTRIES

Strong Bond · Lasting Trust

India's Trusted Tile Adhesive Manufacturer



GET IN TOUCH WITH US

■ Address

HSI IDC Industrial Area, Samalkha, Panipat, Haryana – 132101

■ WhatsApp

+91 87088 20660 | +91 96711 00593

■ Hours

Monday – Saturday: 9:00 AM – 6:00 PM

■ Phone

+91 87088 20660

✉ Email

info@shivshaktiindustries.com

■ Factory

HSI IDC Industrial Area, Samalkha, Panipat (HR)

OUR 4 PROFESSIONAL BRANDS

SSI

The Bond Professionals Trust

NEXITONE

Next-Level Tile Bonding

CORVELL

Advanced Bonding Technology

ORION

Industrial Strength Solutions



CERTIFIED & COMPLIANT:

ISI 9001:2015

MSME Compliant

Low VOC

EN 12004

In-House Lab

Pan-India

WHAT OUR CLIENTS SAY

“

Shiv Shakti adhesives are our go-to for all vitrified tile projects. Excellent bond strength and reliability.

— Contractor, Delhi NCR

“

ORION epoxy grout is perfect for pool projects. No seepage, easy to clean and looks premium.

— Builder, Mumbai

“

Competitive pricing without compromising quality. NEXITONE Diamond is outstanding for large facades.

— Architect, Bangalore

Founded
2023

Location
Panipat, Haryana

Products
16 Total

Brands
4 Pro Brands

Certified
ISI / BIS

All products comply with BIS/ISI standards. Coverage values are approximate. Prices on request.

© 2025 Shiv Shakti Industries. All rights reserved. · HSI IDC Industrial Area, Samalkha, Panipat, Haryana – 132101